



The perforations in Geoweb allow lateral drainage through the system, In vegetated systems, the perforations increase root lock-up, creating a more stable vegetated mass and overall healthier soil environment. The Geoweb panels can be stepped back to create the wall inclination required based on space available and planting requirements



Pre-formed steel spacer bars



Cells were filled with site won spoil



Stepped back layers of Geoweb

The specification presented above is to the best of our knowledge, true and accurate. Greenfix Soil Stabilisation and Erosion Control Limited (GSSEC) reserve the right to change any specification without prior notice. GSSEC cannot guarantee or offer warranty on products, unless agreed to in writing for specific conditions or for performance as the manner of handling, use and installation are beyond our control. We will not be liable for damages or losses, direct or indirect, of our GSSEC Range of Products due to the above reasons. All comparative data was correct at time of print. E&OE.

The layers of Geoweb® were filled with a site won sand/soil mix, and were held open with pre-formed steel spacer bars whilst filling took place. The layers were stepped back in line with Greenfix design guidance, and secured by a polyester geogrid mesh installed every third layer to reinforce the compacted back-fill.



**All photos by
The Lichfield & Hatherton Canals Restoration Trust
visit them at www.lhcr.org.uk**

The specification presented above is to the best of our knowledge, true and accurate. Greenfix Soil Stabilisation and Erosion Control Limited (GSSEC) reserve the right to change any specification without prior notice. GSSEC cannot guarantee or offer warranty on products, unless agreed to in writing for specific conditions or for performance as the manner of handling, use and installation are beyond our control. We will not be liable for damages or losses, direct or indirect, of our GSSEC Range of Products due to the above reasons. All comparative data was correct at time of print. E&OE.